APSII+ SCRs Implementation Cookbook

01 May 2002



Table of Contents

Table of Contents	2
Executive Summary Table Updates and Problem Avoidance Report Conversions Software Enhancements	3 3 5 7
Table Updates Appointment Type File Update	8 8
Standardized Medical Appointment Types Appointment Detail Code Update Standard Appointment Detail Codes	9 10 10
Problem Avoidance Report Non-Standard Appointment Type/Detail Code Summary Report	11 11
File Table Build File/Table (Prior to APS II+ Software Installation)	19 19
APS II+ Conversions Appointment Type File Conversion Appointment Detail Code File Conversion Hospital Location File Conversion	20 20 21 22
APSII+ Business Rules Business Rules Conversions Medical vs. Non-Medical Appointment Types Appointment Detail Codes Appointment Processing	23 23 23 23 24 25
Post Conversion File/ Table Issues	26
APS II+ Software Enhancements Appointment Type Enter/Edit Appointment Type Profile List Appointment Detail Codes Enter/Edit Clinic Profile Edit Screening Logic Error Messaging 28-Day Access to Care Standard	29 29 30 31 32 33 33
Appendix A – Detail Codes	34

Executive Summary

Table Updates and Problem Avoidance Report

With the release of Appointment Standardization Phase II (APS II), the standard appointment types included PCM, PCM\$, ACUT, ACUT\$, ROUT, ROUT\$, WELL, WELL\$, EST, EST\$, SPEC, SPEC\$, TCON, TCON\$, GRP, GRP\$, PROC, and PROC\$ plus APV, T-CON*, N-MTF, and EROOM.

Following an APS II transition period and prior to the APS II+ software deployment date, the following will be released to all sites:

1. Appointment Type Table Update.

- This update will enable sites time to resolve any file/table issues with regard to non-standard appointment types still in use.
- The Appointment Type file (#44.5) update will include the updated list of standardized medical appointment types to be used by all medical clinics with a Location Type of C (Clinic) or S (Same Day Surgery).
- Dental clinics with a Location Type of D (Dental) currently using the DDSA Scheduler Graphic User Interface (GUI) to schedule appointments will not be impacted by this table update.
- Dental or Radiology Clinics with a Location Type of C (Clinic) and with a MEPRS Code of C*** or DCA*, respectively, will not be impacted either.

2. Appointment Detail Code Table Update.

- This update will enable sites time to resolve any file/table issues with regard to non-standard appointment detail codes still in use.
- The Appointment Detail Code file (#44.7) will be updated to include the approved standardized Appointment Detail Codes.

- ☐ Table Updates and Problem Avoidance Report (cont)
 - 3. Non-Standard Appointment Type/Detail Code Summary Report.

This report is being developed to support the sites in identifying any profiles, templates, schedules, and/or wait list requests currently linked to one or more non-standard appointment types and/or appointment detail codes

Conversions

When the APS II+ software is installed, the following three conversions will be run:

1. Appointment Type File Conversion

- A conversion will be run on the Appointment Type file (#44.5) to inactivate all nonstandard appointment types by setting the Status field to Inactive to ensure conformance with the Appointment Standardization policy. This conversion will not impact appointment booking.
- In addition, the conversion will identify all non-standard dental/radiology appointment types currently used by any dental/radiology clinics linked to a MEPRS Code of C***/DCA* and will set the new Non-Medical Appt Type field in the Appointment Type file to YES for all non-standard dental/radiology appointment types identified. Dental and radiology clinics using PAS/MCP booking will then be able to continue using their current non-standard dental/radiology appointment types as well as any of the standardized medical appointment type when scheduling appointments.
- Once the APS II+ conversions have run to completion, authorized users will no longer be able to add, edit or inactivate Medical Appointment Types. However, an authorized user assigned the new APS II+ SD MOD APPT security key, will have the capability to add, edit, or inactivate Non-Medical appointment type entries in the Appointment Type file using the APRO Appointment Type Enter/Edit option.
- When an authorized user adds a new non-standard (Non-Medical) dental/radiology appointment type entry to the Appointment Type file, the system will automatically set the Medical Appt Type flag to NO and the Non-Medical Appt Type flag to YES.

Conversions (cont)

2. Appointment Detail Code File Conversion

- A conversion will be run on the Appointment Detail Codes file (#44.7) to inactivate all non-standard detail codes to ensure conformance with the Appointment Detail Code standardization policy.
- Any site-defined non-standard Age detail code identified, which does not conform to the TMA approved standard Age detail code format, will also be inactivated by this conversion.
- Once the APS II+ conversions have run to completion, authorized users will no longer be able to add, edit or inactivate standard Appointment Detail Codes.
- Only authorized users assigned the new APS II+ SD DETAIL CODE security key will have the capability to add site-defined AGE detail codes using the standard Age format.

3. Hospital Location File Conversion

- A conversion will be run on the Hospital Location file (#44) to identify and inactivate all non-standard appointment types currently linked to individual medical clinics and/or their associated provider.
- This conversion will also identify and delete any non-standard appointment detail code or site-defined Age appointment detail code, not in the standard Age format, from any clinic's "most frequently used" appointment detail code pick list.

Software Enhancements

1. Standardized Appointment Types and Detail Codes

With the release of APS II+, PAS/MCP users entering data for medical clinics will only be able to select active standard medical appointment types and standard and/or site-defined Age detail codes when creating/editing templates and schedules, searching for available appointments, entering/ processing wait list requests, booking Unscheduled Visits (appointment types only) and/or during End of Day Processing. Users entering data for dental/radiology clinics may select either medical or non-medical appointment types.

2. Error Messages

All error messages referencing the Medical Appt Type field will be modified to reflect the standardization of appointment types. Additional error messages will be added to reflect the addition of the Non-Medical Appt Type field and the standardization of appointment detail codes.

3. 28-Day Access Standard for Specialty and Wellness ATC Categories

In addition, with the release of APS II+, the current 30-day access standard for Specialty and Wellness Access To Care (ATC) categories will be changed to a 28-day access standard. This change will be implemented in all Health Care Finder Booking functions, the Access to Care Summary Report, and in Consult Tracking to support a 28-day access standard for Specialty and Wellness Access to Care (ATC) categories.

Table Updates

Appointment Type File Update

The Appointment Type File Update will:

- 1. Be packaged and deployed as special software prior to the release of the APS II+ software package.
- 2. Update the Appointment Type File (#44.5) to reflect any and all new standard medical Appointment Types supplied to SAIC by the customer prior to 22 March 2002.
- 3. For each standard medical appointment type found, make all the fields for that entry in the Appointment Type file (#44.5) uneditable.
- 4. For each new standard medical appointment type entry being added, set the **Are Appointment Slots Searchable?** field to **YES**. The only Standard medical appointment type entry that is not searchable is T-CON* (When this field is set to No, the system automatically adds the "*" to the end of the appointment type when displayed to the user but does not store it as part of the entry.
- 5. For each existing or newly added standardized appointment type entry found, set the **Status** field set to **ACTIVE** and the **Medical Appt Type** field set to **YES**.
- 6. Only one new appointment types (**OPAC Open Access Appt**) is being added as new standardized medical appointment type for this Appointment Type File Update.

Table Updates (cont)

Standardized Medical Appointment Type List

The following is the current list of the standard Medical Appointment Types as of 22 March 2002:

Appt Type ACUT EST GRP OPAC PCM PROC ROUT SPEC WELL TCON	Description Acute Appt Established/Follow Up Appt Group Appt with Multiple Pts Open Access Appt Initial Primary Care Appt Procedure Appt Routine Appt Initial Specialty Care Appt Wellness/Health Promotion Appt Telephone Consult
ACUT\$ EST\$ GRP\$ OPAC\$ PCM\$ PROC\$ ROUT\$ SPEC\$ WELL\$ TCON\$	Acute Appt Established/Follow Up Appt Group Appt with Multiple Pts Open Access Appt Initial Primary Care Appt Procedure Appt Routine Appt Initial Specialty Care Appt Wellness/Health Promotion Appt Telephone Consults Telephone Consults
APV EROOM N-MTF T-CON*	Ambulatory Procedure Visit Emergency Room Non-MTF Appt Telephone Consult

Table Updates (cont)

Appointment Detail Code Update

The Appointment Detail Code File Update will:

- 1. Be packaged and deployed as special software prior to the release of the APS II+ software package.
- 2. Be installed prior to running the APS II+ conversions.
- 3. Update the Appointment Detail Code File (#44.7) to reflect any and all new standard Appointment Detail Codes being implemented in the APS II+ software release and supplied to SAIC by the customer prior to 22 March 2002.
- 4. For each standard appointment detail code found, make all the fields for that entry in the Appointment Detail Code file (#44.7) uneditable.
- 5. For each existing or newly added standardized appointment detail code entry found, set the **Status** field set to **ACTIVE**.
- Standardized Appointment Detail Code Listing

Please refer to Appendix A in this document.

:

Problem Avoidance Report

- Non-Standard Appointment/Detail Code Summary Report
- 1. The Non-Standard Appointment Type/Detail Code Summary Report will identify any profiles, templates, schedules, and/or wait list requests currently linked to one or more non-standard appointment types and/or appointment detail codes.
- The Non-Standard Appointment Type/Detail Code Summary Report will be packaged and deployed as a CPET+ to 4.630 after the Appointment Type and Appointment Detail Code file updates are installed but prior to the release of APS II+.
- 3. This new Non-Standard Appointment Types/Detail Code Summary Report will be pre-released 45-60 days before the APS II+ software package is deployed.

- Non-Standard Appointment/Detail Code Summary Report (Cont)
- The Non-Standard Appointment Type/Detail Code Summary Report option has been 4. added to the Problem Avoidance Report Menu:

Delinquent End-of-Day Processing Report
Problem Avoidance Report
Schedule Deficiency Monitor Report
Telephone Consult Report
Wait List Management Report
Non-Standard Appointment Type/Detail Code Summary Report

Select Problem Avoidance Reports Menu Option:



5. Once the authorized user has entered the division and within the division selected, the clinic/s for which to generate this report, the system will display the following message:

THIS IS A COMPLEX REPORT!
It WILL ONLY BE PRODUCED AFTER NORMAL DUTY HOURS, AND
IT WILL NOT BE AVAILABLE UNTIL TOMORROW MORNING.

- 6. The system will also display the "DO YOU WANT TO PROCEED WITH THIS REPORT?NO// "prompt.
- 7. If the authorized user elects to proceed, the system will schedule the Non-Standard Appointment Type/Detail Code Summary Report to be generated only **after normal business hours**.



Non-Standard Appointment/Detail Code Summary Report (Cont)

Sample Report Screens

The Non-Standard Appointment Type/Detail Code Summary Report will report as output any non-standard appointment types/detail codes linked to the specified clinic's clinic/provider profiles, templates, schedules, and/or wait list requests (refer to Screens 1 through 5).

------ Screen 1------NMC PORTSMOUTH 28 Feb 2002@1443 Page 1

Non-Standard Appointment Type/Detail Code Summary Report (One Clinic)

****Clinic Profile****

Division: NAVY OUTPATIENT DIVISION Department: PRIMARY CARE Clinic: Primary Care Clinic

Description Appointment Types FOL NEW FOLLOW UP ACTIVE NEW APPOINTMENT ACTIVE Detail Codes 1 - 4WTHIS IS AN INVALID CODE INACTIVE 3M-2W TESTING FOR INVALID CODES INACTIVE TEST THIS IS JUST A TEST INACTIVE

	28 Feb 2002@1443 Page 2
ppointment Type/Detail	l Code Summary Report (One Clinic)
****Provider F	Profiles****
IVISION	Department: PRIMARY CARE
Status	
ACTIVE ACTIVE ACTIVE	
Status	
ACTIVE ACTIVE	
)	Status ACTIVE ACTIVE ACTIVE ACTIVE ACTIVE ACTIVE




Non-Standard Appointment/Detail Code Summary Report (Cont)

Sample	Report	Scre	ens (d		•	roon 2				
NMC PORTSMOUTH						reen 5-	een 328 Feb 2002@1443 Page 3			
			No	n-Sta	ndard Ap	pointm	ent Typ	oe/Detail Co	ode Summary Report (One Clinic)	
						,	****Pro	vider Temp	plates****	
Division: Departme Clinic: Pi	ent: PRIM	ARY C	ARE	DIVIS	ION					
Provide: Start Time	r Appt Type	Wkl Typ	#per Slot	Dur	Detail	L Code	:S		Slot Comment	
VALARI,	ONALD									
Daily 7	Γemplate	e ID:	MON	DV C	AR					
0800 0820 0840 0900 0920 0940 1000	FOL FOL FOL FOL FOL FOL	000000	 1 1 1 1 1 1	20 20 20 20 20 20 20 20 20	3M-2W 3M-2W	TEST TEST TEST	1-4W		TESTING TESTING TESTING TESTING TESTING TESTING TESTING TESTING	
					End	Screen)			



Non-Standard Appointment/Detail Code Summary Report (Cont)

Sample R	eport S	creens (co	ont)	
				Screen 4
NMC PORT	SMOUTH	4		28 Feb 2002@1443 Page 4
	No	n-Standard	Appointment Ty	pe/Detail Code Summary Report (One Clinic)
			****Pro	ovider Schedules****
Division: NA	VY OUT	PATIENT DI	VISION	Department: PRIMARY CARE DEPARTMENT
Clinic: Prima	ary Care	Clinic		
Provider: AN	ЛАҮА, RI	CHARD		
=======	======	======		
Appt Date	Time	Appt Ty	pe Detail Code	Slot Status
13Feb02	1300	NEW		OPEN
13Feb02	1330	FOL	AD	OPEN
13Feb02	1500	RET	BP	FROZ
13Feb02	1530	RET	MEB	WAIT
			E	End Screen



File and Table Build

File and Table (Prior to APS II+ Software Installation)

- 1. Verify that the **Appointment Type File Update**, reflecting any and all new standardized Appointment Types, has been completed prior to installing the APSII+ package and running the APS II+ conversions.
- 2. Verify that the **Appointment Detail Code File Update**, reflecting any and all new standard Appointment Detail Codes, has been completed prior to installing the APSII+ package and running the APS II+ conversions.
- 3. Run the new **Non-Standard Appointment Types/Detail Codes Summary Report**. For each clinic reported, modify any non-standard appointment types and/or detail codes identified using the following options:
 - Clinic Profile Edit option
 - Provider Profile Enter/Edit option
 - Create/Edit Daily Template option
 - Modify Schedules option
 - Wait List Requests options
- Once the profiles, templates, schedules and/or wait lists requests have been modified, rerun the Non-Standard Appointment Types/Detail Codes Summary Report to verify the changes were made correctly.

APS II+ Conversions

Appointment Type File Conversion

Once the APS II+ software has been installed, the Appointment Type file(#44.5) conversion will be run. This conversion will:

- 1. Identify all non-standard dental appointment types currently linked to any dental clinic with a Location Type = D for Dental and a MEPRS Code of C*** in the Hospital Location (#44).
- 2. Identify all non-standard dental/radiology appointment types currently linked to any clinic with a Location Type = C for Clinic or S for Same Day Surgery and a MEPRS Code of C*** for Dental or DCA* for Radiology, in the Hospital Location (#44).
- 3. For each non-standard dental/radiology appointment type identified in the Hospital Location file, set the Status field to Active, the Uneditable field to NO, the Medical Appt Type field to NO, and the new Non-Medical Appt Type field to YES for each corresponding non-standard dental/radiology appointment type in the Appointment Type file (#44.5).
- 4. Identify all other non-standardized appointment types in the Appointment Type file (#44.5) not currently linked to either a dental or radiology Hospital Location, and set the Status field to Inactive, the Uneditable field to NO, the Medical Appt Type field to NO and the new Non-Medical Appt Type field to NO for each non-standardized appointment type identified.
- 5. Identify all standardized medical appointment types in the Appointment Type file and set the Status field to Active, the Uneditable field to YES, the Medical Appt Type field to YES and the new Non-Medical Appt Type field to NO for each standardized medical appointment type identified.

APS II+ Conversions (cont)

Appointment Detail Code File Conversion

When the Appointment Type file conversion has run to completion, the Appointment Detail Codes file (#44.7) conversion will be run. This conversion will:

- 1. Identify all non-standardized appointment detail codes to ensure conformance with the Appointment Detail Code Standardization policy and for each non-standard Detail Code identified, set the Status field to Inactive and the Uneditable field to YES for that entry in the Detail Codes file (#44.7).
- 2. Identify all site-defined Age detail codes that do not conform to the TMA approved standard Age detail code format and for each non-standard AGE Detail Code identified, set the Status field to Inactive and the Uneditable field to YES for that entry in the Detail Codes file (#44.7).

APS II+ Conversions (cont)

Hospital Location File Conversion

When the Appointment Detail Code file conversion has run to completion, the Hospital Location file (#44) conversion will be run. This conversion will:

- 1. Set the Status field to Inactive for any non-standard medical appointment type currently linked to an individual clinic (except dental/radiology clinics) and/or its associated providers.
- 2. Delete any non-standard and/or site-defined Age detail code, not using the standard Age format, from any clinic's "most frequently used appointment detail code pick list.

APS II+ Business Rules



Business Rules

Conversions:

- 1. As part of the Installation, the APS II+ data conversions are "one time only" data conversions and will be run in the same order as presented in this documentation.
- 2. Each conversion will run to completion before the next conversion is run.
- 3. The system will set the new Non-Medical Appt Type field in the Appointment Type file to YES for all non-standard dental/radiology appointments identified during the Appointment Type file conversion.

Medical vs. Non-Medical Appointment Types:

- 1. The new Non-Medical Appt Type field in the Appointment Type file must be set to YES before any dental/radiology clinics (MEPRS Code = C***/DCA*) can use a non-standard medical appointment type when creating templates/schedules, booking appointments (scheduled or unscheduled visits) and/or during End of Day Processing.
- 2. Medical clinics (MEPRS Code not equal to C***/DCA*) **may only use** standardized appointment types when creating templates/schedules, booking appointments (scheduled or unscheduled visits) and/or during the End of Day Process.
- 3. No CHCS user may add, edit, or inactivate the standardized medical appointment type entries in the Appointment Type file.
- 4. When a new non-standard dental/radiology appointment type entry is added to the Appointment Type file, the system will automatically set the new Non-Medical Appt Type field to YES and the Medical Appt Type field to NO.
- 5. The Medical Appt Type field and the Non-Medical Appt Type field will be non-editable.
- 6. Only an authorized user with the new **SD MOD APPT** security key will be able to add, edit or inactivate a non-standard dental/radiology appointment type in the Appointment Type file (#44.5)

APS II+ Business Rules

Business Rules (cont)

Appointment Detail Codes

- 1. No CHCS user may add, edit, or inactivate the standardized appointment detail codes entries in the Appointment Detail Code file.
- 2. Only an authorized user with the new **SD DETAIL CODE** security key will be able to add, edit or inactivate site-defined **Age Range** detail codes, using the standard Age format.
- 3. Only Site-defined **Age Range** detail codes may be added to the Appointment Detail Code file using the DFIL Appointment Detail Code Enter/Edit option. The **Age Range** Detail Codes must be entered using one of the following standard **Age Range** formats:

0-12 : numbers alone indicates age range in years

3M-6M: number+M = age range in months 1W-4W: number+W = age range in weeks 1D-14D: number+D = age range in days

3M-1: 3 months to 1 year 3W-6M: 3 weeks to 6 months 10D-4W: 10 days to 4 weeks

4. All **Age Range** Detail Codes must contain a hyphen.

APS II+ Business Rules

Business Rules (cont)

Appointment Processing

- 1. If a pending medical appointment is linked to a non-standard appointment type and/or detail code, the front desk clerk may use the IPC Individual Patient Check-In option or the MPD Multiple Patients by Default option to check the patient in for the scheduled appointment without having to modify the current non-standard appointment type and/or detail codes linked to the pending appointment/s being processed..
- 2. If the user elects to use **EOD End of Day Processing** option to check medical patients in, and does not select the Appt Status as one of the data element to modify, the user will be forced to change the non-standard appointment type and/or detail code prior to filing the medical appointment data
- 3. Dental/radiology Clinics (MEPRS Code = C***/DCA*) will have the option of selecting standard medical and/or non-standard dental/radiology appointment types when creating templates/schedules, booking appointments (scheduled or unscheduled visits) and/or during the End of Day Process as long as the appointment type selected is linked to the dental/radiology Clinic/Provider Profiles.

Post Conversion File/Table Build

File/Table Issues

1. Problem: Can't Add/Edit/Inactivate Non-Medical Appointment Types in the Appointment Type Profile

Only authorized users assigned the new APS II+ **SD MOD APPT** security key will have the capability to add, edit, or inactivate non-standard dental/radiology appointment types to the Appointment Type file using the APRO Appointment Type Enter/Edit option on the PAS Profiles menu. As part of the post conversion file/table activity, verify that the appropriate CHCS users have been assigned the **SD MOD APPT** security key.

2. Problem: Can't Add/Edit/Inactivate Non-Standard AGE Detail Codes to the Appointment Detail Code file (#44.7)

Only authorized users assigned the new APS II+ **SD DETAIL CODE** security key will have the capability to add, edit, or inactivate non-standard AGE detail codes to the Appointment Detail Code file using the DFIL Appointment Detail Code Enter/Edit option on the PAS File/Table Maintenance menu. As part of the post conversion file/table activity, verify that the appropriate CHCS users have been assigned the **SD DETAIL CODE** security key.

Post Conversion File and Table Build

File/Table Issues (cont)

3. Problem: Unable to Find Available Appointment Slots

Once APS II+ is installed and the conversions have run to completion, if the sites have not updated their provider templates and/or schedules, based on the new business rules being implemented with APS II+, users will not be able to use their templates to create schedules and/or find any available appointment slots, which are still linked to non-standard appointment types and/or detail codes. To ensure that this is not the case:

- Run the new Problem Avoidance Report (Non-Standard Appointment Type/Detail Code Summary Report) to verify that there are no non-standard Appointment Types and/or Detail Codes currently linked to clinic/provider profiles, templates, schedules and/or wait list requests.
- Update those profiles, templates, schedules and wait list request identified in the report that are still linked to non-standard appointment types or detail codes.

4. Problem: How to Process Pending Appointments with Non-Standard Appointment Types

If there are pending appointments booked prior to the APS II+ installation and those pending appointments are linked to non-standard appointment types/detail codes, the user will still be able to process the pending appointments.

- If the user selects the Individual Patient Check-In or Multiple Patient Check-In By Default option to process these pending appointments, the user will not be required to change either the appointment type and/or the detail codes linked to the pending appointments.
- If the user elects to use EOD Processing option to check patients in, and does not select the Appt Status as the data element to modify, the user will be forced to change the non-standard appointment type and/or detail code prior to filing the appointment data

Post Conversion File and Table Build

File/Table Issues (cont)

5. Problem: Can't Enter Telephone Consult Using Unscheduled Visits

To enter a Telephone Consult, the provider selected must be a active CHCS user with ACCESS/VERIFY codes and must have T-CON* listed as an ACTIVE appointment type in his/her Provider Profile.

The following standard medical appointment types may not be used for Telephone Consults:

- TCON
- TCON\$
- TCONX

When a telephone consult is entered, the system will automatically assign T-CON* as the correct appointment type for the Telephone Consult.

APS II+ Software Enhancements

Appointment Type Enter/Edit option

- 1. No CHCS user may add, edit, or inactivate the standardized medical appointment type entries in the Appointment Type file.
- 2. A new **Non-Medical Appt Type** field has been added to the Appointment Type Enter/Edit option on the Profiles Menu in PAS. This field is automatically set to YES when an authorized user with the SD MOD APPT security key elects to add a new non-standard dental/radiology appointment type to the Appointment type file.
- 3. When this field is set to YES, the non-medical appointment type may be used when creating or editing templates and schedules or when searching for available appointments in any dental or radiology clinic with Location Type of C (Clinic) and a MEPRS Code of C*** or DCA*, respectively.

Appointment Type: WELL SD APPT TYPE

Name: WELL [Display Only]

Description: WELLNESS/HEALTH APPT [Display Only]

Are Appt Slots Searchable?: YES

Status: ACTIVE Category: INITIAL

Uneditable: YES [Display Only]

Medical Appt Type: YES
Non-Medical Appt Type: NO

Press RETURN to continue

APS II+ Software Enhancements



With the release of APS II+, the new **Non-Medical Appt Type** added to the Appointment Type file (#44.5) will also be reported as output on the Appointment Type Profile List.

APPOIN	APPOINTMENT TYPE PROFILE LIST				12 Feb 2002@1106		
		SEARCHABLE	Ē		MEDICAL	NONMEDICAL	
		APPT			APPT	APPT	
NAME	DESCRIPTION	SLOTS?	STATUS	CATEGORY	TYPE	TYPE	
EVAL	EVALUATION	======== YES	ACTIVE	FOLLOW-UP	NO	YES	
EXAM	ANNUAL EXAM	YES	ACTIVE	FOLLOW-UP	NO	YES	

APSII+ Software Enhancements (cont)



- 1. No CHCS user may add, edit, or inactivate the standardized appointment detail codes entries in the Appointment Detail Code file.
- 2. Only an authorized user with the new **SD DETAIL CODE** security key will be able to add, edit or inactivate site-defined Age Range detail codes, using the standard Age Range format.
- 3. Age Range Detail Codes must contain a Hyphen (refer to the Business Rules section in this document for acceptable Age Range Detail Code formats).

APPOINTMENT DETAIL CODE: 3M-6

Code: 3M-6

Description: THREE MONTHS TO SIX YEARS

Uneditable: NO

Status: ACTIVE

Press RETURN to continue

APS II+ Software Enhancements (cont)

Clinic Profile Edit option

- Only standard Appointment Detail Codes or non-standard site-defined AGE Range Detail Codes, in the standard AGE format, may be added to a Clinic's most frequently used pick list via the Clinic Profile Edit option.
- 2. When the Clinic Profile data is filed, the user may select up to three Detail Codes from the Clinic's pick list when creating/editing templates/schedules and/or when booking an appointment or performing EOD processing.

```
CLINIC PROFILE
HOSPITAL LOCATION: ADULT PRIMARY CARE
Select DETAIL CODES:
 17-55 17 YEARS TO 55 YEARS
        AFTER CARE GROUP
 ACG
        ANGER MANAGEMENT EDUCATION
 ANGER
 ASTHMA ASTHMA EVALUATION OR EDUCATION APPOINTMENTS
 BCP
           BIRTH CONTROL
 BK
           BACK PAIN OR PROBLEM
 BIO
           BIOPSY
           ACTIVE DUTY ONLY
 BPAD
 BPPR
           PRIME ENROLLEES ONLY, NO ACTIVE DUTY
 BPAPS
           ACTIVE DUTY, PRIME ENROLLEES, AND SPECIAL PRO
           DIABETES
```

APS II+ Software Enhancements (Cont)

Screening Logic

- 1. With the release of APS II+, the screening logic for selecting Appt Type and Detail Codes has been modified so that PAS/MCP users entering data for medical clinics will only be able to select active standard medical appointment types and standard and/or site-defined Age detail codes when creating/editing templates and schedules, searching for available appointments, entering/ processing wait list requests, booking Unscheduled Visits (appointment types only) and/or during End of Day Processing.
- 2. PAS/MCP users entering data for non-medical clinics (dental/radiology clinics) will be able to select active standard medical or non-medical appointment types when creating/editing templates and schedules, searching for available appointments, entering/ processing wait list requests, booking Unscheduled Visits (appointment types only) and/or during End of Day Processing.

Error Messaging

All error messages referencing the Medical Appt Type field will be modified to reflect the standardization of appointment types. Additional error messages will be added to reflect the standardization of appointment detail codes.

28-Day Access to Care Standard

- with the release of APS II+, the 30-day access standard for Specialty and Wellness Access To Care (ATC) categories will be changed to a 28-day access standard. This change will be implemented in all Health Care Finder Booking functions, the Access to Care Summary Report, and in Consult Tracking to support a 28-day access standard for Specialty and Wellness Access to Care (ATC) categories.
- 2. The 28-day access to care standard for Specialty and Wellness ATC categories will be implemented in all HCF Booking options, the Access to Care Summary Report, and in Consult Tracking.

Appendix A - Detail Codes

The following is the current list of the standard Appointment Detail Codes as of 22 March 2002:

1TT First Trimester
2TT Second Trimester
3TT Third Trimester
ACG After Care Group
AD Alcohol and Drug

ADEI Alcohol and Drug Early Intervention

ADHD Attention Deficit and Hyperactivity Disorder or Attention Deficit Disorder

ADSC Alcohol and Drug Screening Only

ADTX Alcohol and Drug Treatment 2 Week Program Only

ANGER Anger Management Education

ANPST Anergy Panel (stick)
ANRD Anergy Panel Reading

AQUA AQUA Pool

ASTHMA Asthma Evaluation or Education Appointments

ASTIG Treatment of Astigmatism AUENT Audiometric Diagnostic

BCP Birth Control BEESN Bee Sting

BEPC Birth and Early Parenting Class

BF> Weight Exceeding Body Fat Standards

BFC Breast Feeding Class

BIO Biopsy

BK Back Pain or Problem

BOTOX Botulinum Toxin Type A Injections

BPAD Active Duty Only

BPAP Active Duty and Prime Enrollees

BPAPS Active Duty, Prime Enrollees, and Special Programs Patients

BPGME Graduate Medical Education

BPNAD No Active Duty

BPNAP TRICARE Standard, Space Available, and Other Patients - No AD or Prime

BPNPR No Prime Enrollees

BPPR Prime Enrollees Only, No Active Duty

BPSP Special Programs Patient

BPTS TRICARE Standard Patient Only

BRON Bronchoscopy

BTL Bilateral Tubal Ligation
CARD Cardiac Counseling/Care

CATH Catheter

CAVH 24 hour Dialysis Treatment

CB Cross Book

CCEP Comprehensive Clinical Evaluation Program for Persian Gulf Illnesses

CHOL Cholesterol CIRC Circumcision

CLEFT Cleft Lip and Palate

CMDPSY Command Directed Psychological Evaluations

CNM Certified Nurse Midwife

COB Complicated OB Patient Only

COLON Colonoscopy

COLPO Colposcopy, abnormal pap required

CORSCR Cornea Scrap /Rescrape

COSMETIC Referrals for Non-Covered Cosmetic Procedures

COUNS Counseling Only

CPAP Continuous Positive Airway Pressure

CYSTO Cystoscopy

DERM Dermatology Evaluation

DEXA DEXA Bone Scan DIL Dilation

DM Diabetes

DOSIM Methocholine & CPEX
DSGCH Dressing/Bandage Change
DVIOL Domestic Violence Class
DXE Dobutamine Stress Test

E&I Female Endocrine and Infertility Patient Only

EAR Ear Recheck

ECG Electrocardiogram
ECHO Echocardiogram
EDU Education or Class

EEG Electroencephalography

EFMP Exceptional Family Member Program
EGD Scope of Esophagus and Lower Stomach

EMGM Nerve Conduction Studies

ENG Electronystagmography Testing

EP Auditory Brainstem, Visual, Upper/Lower Somatosensory Evoked Potentials

ERCP Endoscopic Retrograde Cholangiopancreatography

EVAL Evaluation - in depth EXERC Exercise Therapy

EYEDZ Eye Disease EYEEX Eve Exam

FAM Family Therapy or Meeting

FCC Child Care Provider Mental Health Screening

FE Female Patient Only

FLAP Flaplift

FLEXS Esophogastoduodenoscopy/Flexible Sigmoidoscopy

FLT Flight Physical Exam
FNA Fine Needle Aspiration
FOOT Foot or Ankle Evaluation

GAST Gastric Bypass Surgery Psychological Evaluation

GDB Gestational Diabetes Patient

GENE Genetics Consult

GYN Gynecology Appointments Only

HAE Hearing Aid Evaluation
HAND Hand Patient Only
HBT Hydrogen Breath Test

HC House Calls

HCATH Cardiac Catherization

HCDC Hearing Conservation Patient

HEAD Headache Education

HOLT Holter Monitor

HSG Hysterosalpingogram

HTN Hypertension Patient

IDC Independent Duty Corpsman

IMDEF Immunodeficiency

INJECT Shot only INS Insertions

ISOK Isolinetic Testing IUD Placement of IUD

IVP Intravenous Pyelogram

KNEE Knee School for Patient with Knee Pain

LASER Laser

LASEYE Laser Eye Surgery

LASIK Laser-in-situkeratomileusis

LBX Liver Biopsy

LES Leishmaniasis Treatment

LIFE Life Skills Group Lumbar Puncture MA Male Patient Only

MANO Manometry

MANO/PH Manometry/24 Hr pH Study

MC Medicare Eligible

MEB Evaluation Board Physical Exam

MEDEX Lumbar Extension Machine, Sports Medicine Only

MH Mental Health

MINOR Excision of Skin Tags, Moles, Warts, or Subcutaneous Nodules
MOBEX Mobilization Intervention & Exercise Therapy, Sports Medicine Only

MOHS MOHS Surgery

NBO Newborn Physical Only (3-7 days after discharge)

NECK Neck Patient

NO Universal Exclusion - used with other detail codes, i.e., No;THAL, No;WB

NOPAP Gynecology Appointment Only, No Paps

NP Nurse Practitioner NPCL New Prenatal Class

NPSYC Neuropsychological Testing Only - No ADHD

NST Non Stress Test (fetal monitoring during pregnancy)

NUTR Nutrition Education

OAE Newborn Hearing Screening
OB Pregnancy or Obstetrics

ONC Cancer Patient or Treatment Only

OSS Overseas Screening Physician's Assistant

PACE Pacemaker PAP Pap Smear

PARA Abdominal Paracentesis

PARENT Parenting Class
PBO Provider Book Only

PDS Pathfinding/Drill Sergeant Test

PE Physical Exam

PEG Percutaneous Endoscopic Gastrostomy
PFT Pulmonary Function Test/Spirometry

PHA Preventive Health Assessment

PHOTO Photos PLASMA Plasma

PNB Prostate Needle Biopsy

POAE Pediatric Otoacoustic Emission Test

POP Post Operative Follow-up Post-Partum Patient Only

PPD+ Positive Purified Protein Derivative (PPD) or Other Tuberculosis Test Evals

PREOP Check-in for Surgery / Pre-operation Rounds

PRK Photo Refractive Keratectomy
PRT Physical Readiness Test Screens

PULM Pulmonary Patient Only

PVAP sychological Vocational Assessment

PVR Post-Void Residual
REHAB Rehabilitation Therapy
RET Retinal Screening

RMV Removals

RPD Readiness Post Deployment

RPG Retrograde Pylelogram

RPRE Readiness Pre-Deployment Health

RTM Rehabilitation Team Meeting
RUG Retrograde Urethrogram

RUG Retrograde Urethrogram

RX Medication

SCH School Physical

SCOLI Scoliosis

SCS Skin Cancer Screening SEA Sea Duty Screening

SKT Skin Test SLEEP Sleep

SPD Special Duty Evaluation

SPE Separation or Retirement Physical Exam

SPRINT Sprint Test

ST Exercise Stress Test

STRESS Stress Management Education Program

TECH Provider is a Technician

TEE Trans-esophageal Echocardiogram

TELMED Tele-Medicine Conference

THAL Thallium Stress Test

TILT Tilt Test, Test for Syncope

TOBCES Tobacco Cessation

TRACTION Traction Physical Therapy

TRPLT Transplant

TRUS Transrectal Ultrasound

URODY Urodynamics
UROGYN Urogynecology
US Ultrasound
VAS Vasectomy

VF Visual Field Exam VIP Very Important Patient

VT Venom Test WB Well Baby

WCE Work Capacity Evaluation WEA Web and MCP Bookable

WOUND Wound Care